

These are multi-purpose acrylic synthesized clears that can be used as topcoat on any lacquer and urethane finish and other mixing clear. These clears keep the color fresh for a long time. It will allow you the painter to apply easily and suitable for hobby painting. Appliable for both lacquer and urethane.

Paint instruction

Thinner - Various Micro bottle thinner & Hybrid Micro bottle thinner

Mix rate - Main agent 100: thinner 50~100%

Spray semi wet first and spray wet 1-2 times. Check dry-to-touch at every coat.

Dry time: 40° C/ 30^{-60} mins (with dryer) 20° C/ 24 hrs. (Normal indoor condition)

*Dry time may vary depending on how many coats are applied as well as thickness of coating film.

- · Can be applied on poly-carbonated.
- · Can be used topcoat on any paint.
- · Can be mixed with pearl / concentrated Kandy paint.
- · Can be used like used and kept just like lacquer clear.
- Easy to apply, glossy finish, and hard coat film equivalent to urethane type clears.
- · Can be used after decaled.
- · Level of gloss can be adjusted by mixing clear and matt clear.
- ***Do not mix with other kind of clears.

Precautions

Tighten the lid after use and store at cool place.

Mix ratio to be 100 %. If exceeded more than 100%, the level of gloss and coating will be decreased.

Please use up the clear once used without returning it to the bottle.

Can be used as finish coat on lacquer paint, however ensure to dry and harden before applying the clear coat.

